

UNITED STATES PATENT APPLICATION

FOR

DIGITAL MEDIA RESOURCE MESSAGING

INVENTOR(S):

KRISHNAN V. SHANKAR

PREPARED BY:

COLUMBIA IP LAW GROUP, PC.
4900 S.W. MEADOWS ROAD
SUITE 109
LAKE OSWEGO, OR 97035

(503) 534-2800

EXPRESS MAIL LABEL NO. EL910785435US

100334103401
"62201" 04201

DIGITAL MEDIA RESOURCE MESSAGING

RELATED APPLICATIONS

This non-provisional application claims priority to provisional application number 60/313,503 entitled "System And Method For Sharing And Viewing Digital Pictures" filed on August 21, 2001, provisional application number 60/315,949 entitled "System And Method For Sharing And Viewing Digital Pictures" filed on August 31, 2001, and provisional application number 60/324,273 entitled "System And Method For Sharing And Viewing Digital Pictures" filed on September 25, 2001, the specifications of which are hereby fully incorporated by reference.

BACKGROUND OF THE INVENTION

1. Field Of The Invention

The invention relates generally to the field of data processing and, in particular to the exchange, display and manipulation of digital media resources such as image and video files.

2. Background Information

Over the years, digital imaging has gained considerable popularity with both consumers and professionals alike. In the past, individuals would use an optical scanner to digitize conventional print-based photographs in order to create an electronic version of the image that could be manipulated and/or exchanged with colleagues as well as friends and family. Although optical scanners remain in use today, digital photography involving the use of digital cameras to capture multiple high-resolution

color images which are then digitally stored in a memory storage device rather than onto conventional emulsion-based film, has continued to gain attention. Because the digital images are stored in memory, they may be instantly viewed on the camera (i.e. using an included display screen) without the need for lengthy and costly development processes required by conventional film. Additionally, as soon as the electronic images are captured, they may be uploaded to a computer for subsequent exchange with friends and family via the Internet for example.

In the past, individuals having access to the Internet were limited to using electronic mail as a means of exchanging digital images. Although this was considered a relatively fast way of exchanging images with people in varied locations around the world, the various user interfaces available for sending the images proved difficult to use. For example, if a user wished to email images to multiple parties, the user would either have to send individual email messages to each desired recipient, which proved time consuming, or send a single message addressed to each recipient on a mailing list. Although the mailing list accelerated image distribution, there was there was no straightforward way to designate that different pictures be sent to different addressees without creating separate mailing lists. Once the recipient received the email, they had to download and save the attached images, which frequently resulted in the user losing track of where they saved these images. Furthermore, to view the images, the user would have to click on the images one by one and open and view them individually in a web browser or other imaging application. If the images were too large to fit the available viewing area, the user would be forced to use a zoom function, if available, in order to view the image in its entirety, or be forced to pan across the image.

With the increase in popularity of the World Wide Web coupled with readily available web page editing software, individuals soon began to create personal web sites to display their various digitized photographs and electronic images to family and friends. Although this method provided one way to display images to a geographically diverse group of people, there was often very little security associated with such personal web sites allowing more than the intended audience to view one's personal images. Additionally, the intended viewing audience of the personal web site would have to repeatedly check back in order to determine if the web site owner/editor posted any new pictures. Further still, all image viewing was required to be conducted while the viewer remained on-line. If a given portfolio contained high-resolution images for example, the downloading and viewing time could be considerable. Furthermore, the user had to have at least some familiarity with how to author a web page containing these pictures.

To address the various privacy issues and other limitations involving the posting of images, photo-sharing services were introduced. As with personal web pages, these photo-sharing web sites enabled individuals to upload and store digital images that could be viewed by others over the Internet. The main difference was that the images would be stored in an area of the web site dedicated to that individual and could be password protected to limit viewing by unintended parties. Notwithstanding this, however, image viewing still needed to be conducted on-line, which resulted in very poor performance due in part to the unreliably variable speed of response from the Internet. Any picture editing functionality provided by the website was even more adversely affected by the unreliable speed of response. Additionally, the service

providers hosting the photo-sharing services were required to maintain extremely large file storage capacities as each image is filed on a photo-sharing server for perpetuity.

More recently, digital picture frames have been introduced as another mechanism for sharing digital images. Briefly, digital picture frames are special purpose devices that contain liquid crystal display (LCD) screens (typically in the 5"x7" or 8"x10" size range) that are capable of displaying digital images of a limited resolution. One particular digital picture frame available from Ceiva Logic, Inc. of Burbank, California uses a standard telephone line to connect to a picture server in order to download a predefined number of images. Before the images may be downloaded to the digital picture frame, however, the owner or another party authorized by the owner must first upload these images to the picture server through the use of a separate browser-equipped computer or appliance. Additionally, while the digital picture frame is downloading the images, the phone line is tied up thereby preventing other tasks such as web browsing or email to be contemporaneously carried out. Furthermore, digital picture frames do not provide image editing and/or manipulation capabilities. For example, users cannot prevent some pictures from being displayed, or brighten them up, and so on. Also, the images displayed on the digital picture frames cannot be shared with other friends or concurrently viewed by multiple parties. For example, if a grandmother who owns a digital picture frame were to receive images of her granddaughter uploaded from by her son, the grandmother would not be able to share the images with anyone over the Internet let alone anyone outside of the view of the digital picture frame.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention is illustrated by way of example, and not by way of limitation in the figures of the accompanying drawings in which like reference numerals refer to similar elements, and in which:

Figure 1 illustrates an overview of the present invention;

Figure 2 illustrates an example computer system suitable for practicing the present invention in accordance with one embodiment;

Figure 3 illustrates software elements of the general-purpose computer system described above with respect to **Figure 2**, in accordance with one embodiment;

Figure 4 represents one embodiment of a graphical user interface dialog illustrating a multi-contextual hierarchical directory tree of the photo-management client;

Figure 5 illustrates one embodiment of a graphical user interface dialog for identifying new buddies;

Figure 6 is a flow diagram illustrating an operational flow of the user interface of the present invention, in accordance with one embodiment;

Figure 7 illustrates an operational flow of a screen saver operational flow in accordance with one embodiment of the present invention; and

Figure 8 represents a graphical chat window illustrating a messaging aspect of the present invention, in accordance with one embodiment.

DETAILED DESCRIPTION

A digital media resource messaging system is described herein. In one embodiment, a photo-management software client provides a convenient image

viewing, managing, and editing platform that facilitates enhanced image exchange by storing and forwarding image files via a server between multiple resource-sharing partners designated by the user. In the following description, unless otherwise noted, the terms "image", "photo", "photograph", and "picture" are used interchangeably to refer to digital images that are capable of being rendered on a display device such as a CRT or liquid crystal display (LCD) for example. Furthermore, the phrase "digital media resource" is intended to be broadly construed to refer to digital images as well as digital video, one or more digital video frames, and even text files and other documents. Additionally, the term "buddy" is used herein to refer to one or more resource-sharing partner(s) with whom the user may opt to share one or more digital media resources. Moreover, a "buddy list" refers to a list of individuals (whether represented by first and/or last name, username, or email address) with whom a user has chosen to share digital media resources.

For purposes of explanation, specific numbers, materials and configurations are set forth in the following description in order to provide a thorough understanding of the invention. It will be apparent, however, to one skilled in the art that the invention may be practiced without these specific details. In some instances, structures and devices are shown in block diagram form in order to avoid obscuring the invention. In other instances, well-known features are omitted or simplified in order not to obscure the present invention. For ease of understanding, certain method steps are delineated as separate steps, however, these separately delineated steps should not be construed as necessarily order dependent in their performance. Furthermore, reference in the specification to "one embodiment" or "an embodiment" means that a particular feature,

structure, or characteristic described in connection with the embodiment is included in at least one embodiment of the invention. The appearances of the phrase "in one embodiment" in various places in the specification are not necessarily all referring to the same embodiment.

Figure 1 illustrates an overview of the present invention in accordance with one embodiment. In **Figure 1**, a digital media resource messaging system is illustrated. The digital media resource messaging system includes computer systems **102**, **104**, **106** and server **110**, each communicatively coupled together via network **100** and incorporated with the teachings of the present invention. Computer systems **102**, **104** and **106** each represents a general-purpose computer system such as, but not limited to a desktop computer, laptop computer, and palmtop computer, as well as a personal digital assistant (PDA). Each of computer systems **102**, **104**, **106** is equipped with a display device such as a CRT or LCD to display one or more digital media resources including images that may be shared with one or more resource sharing partners. For the purpose of this discussion, the respective users (not shown) of computer systems **102**, **104**, **106** are each assumed to be resource-sharing partners with one another. That is, each respective user of computer systems **102**, **104**, **106** has been identified to each other user (e.g. through a graphical user interface "GUI" described below) as a resource-sharing partner.

For example, in accordance with the teachings of the present invention, the user of computer system **102** may elect to share one or more images with the user(s) of computer system(s) **104** and/or **106** as resource-sharing partners. The image(s) may

be stored locally on computer system **102** or remotely on another data storage device within the messaging system of **Figure 1**. In an embodiment where the images are stored locally on the originating (i.e. uploading) computer system, the corresponding user is prompted (again through a GUI) to identify which digital media resources are to be shared with one or more other resource-sharing partner recipients. In one embodiment, once the digital media resources have been identified, they are uploaded to server **110** where they are temporarily stored until the next subsequent login by the designated resource-sharing partner recipient(s). In other embodiments, server **110** stores the resources for a predetermined length of time, such as a period of weeks, and purges the resources after that duration, whether or not all the intended recipients have logged in and downloaded the resources.

Upon logging in to server **110**, the stored digital media resources are transparently downloaded (either automatically, or upon the recipient's explicit approval, e.g. depending on which option the recipient has selected for resource downloads) to each designated recipient's respective computer system in the background leaving the recipient(s) free to perform any number of other tasks such as viewing, editing or sharing resources, browsing the web, checking email, and so forth. In accordance with the present invention, both sender and recipient need not be logged in to the server at the same time in order to share digital media resources. In one embodiment, the digital media resources are uploaded to, and downloaded from server **110** using the well-known hypertext transfer protocol (HTTP). In some embodiments, the system may also use other protocols than HTTP, for example FTP or TCP-IP. Once the digital media resources have been downloaded (or prior to uploading), the recipient user is able to

perform any number of tasks on or with the digital media resources. For example, in the event the digital media resources comprise digital images, a user recipient may have the option of viewing the downloaded images, editing the images, organizing the images, and so forth. In one embodiment, the downloaded digital media resources are automatically displayed on the corresponding computer system in the form of a screen saver, whereas in another embodiment, the downloaded digital media resources are automatically displayed in the form of background wallpaper on the display device. In other embodiments, the downloaded digital media resources may be displayed as part of an Active Desktop on the corresponding computer system, or even on a TV screen.

In one embodiment, once the digital media resources have been downloaded to one or more computer systems, server **110** removes the digital media resources from memory thereby decreasing perpetual storage requirements of server **110**. Additionally, since the digital media resources are downloaded to the various computer systems, the digital media resources may be viewed or accessed offline by the users, thereby eliminating delays caused by slow and often unreliable network connections. In one embodiment, server **110** generates and stores a meta-data file in association with each digital media resource the server receives. The meta-data file may include items of information such as the resource file name, file size, content type, creation date, who uploaded the resource and when, as well as who downloaded the resource and when. The meta-data files facilitate resource searches by server **110** without the need to uncompress any stored resource files. These resource searches can be constrained to specific criteria and combinations of criteria, such as locating all files created by user "Jim" after October 16, 2001 and smaller than 500K. In one embodiment, if a user

requests a digital media resource that has since been deleted from server **110**, the server utilizes the meta-data files to send a message to those prior resource recipients requesting a copy of the digital media resource. Once again, this acts to decrease the amount of storage space needed on server **110**.

Network **100** represents any of a variety of communications networks equipped to transport data between various communication devices such as those illustrated in **Figure 1** for example. In one embodiment, network **100** represents a transmission control protocol/internet protocol (TCP/IP) based network such as, but not limited to the Internet. In other embodiments network **100** may represent a local area network (LAN), a wide area network (WAN), or some combination thereof. In yet another embodiment, any one or more of computer systems **102**, **104**, **106** may be directly coupled to each other and/or server **110** in addition to or in place of the illustrated connections to network **100**. Although three general-purpose computer systems are illustrated in **Figure 1**, a fewer or greater number of computer systems may instead be coupled to network **100** without departing from the spirit and scope of the invention.

Figure 2 illustrates an example general-purpose computer system suitable for use in association with the digital media resource messaging system of the present invention in accordance with one embodiment. As shown, computer system **200** includes one or more processors **202** and system memory **204**. Additionally, computer system **200** includes one or more mass storage devices **206** (such as diskette, hard drive, CDROM, DVDROM, CD/RW and so forth), input/output devices **208** (such as a keyboard, cursor control devices and so forth), communication interfaces **210** (such as

network interface cards, modems and so forth), and display interfaces/devices **212**.

The elements are coupled to each other via system bus **212**, which represents one or more buses. In the event that system bus **212** represents multiple buses, the busses may be bridged by one or more bus bridges (not shown).

Except for the teachings of the present invention, each of these elements performs its conventional functions known in the art. In particular, system memory **204** and mass storage **206** are employed to respectively store a working copy and a permanent copy of the programming instructions implementing the photo-management client **214** of the present invention, in addition to operating system **215**. The permanent copy of such programming instructions may be loaded into mass storage **206** in the factory, or in the field, as described earlier, through a distribution medium (not shown) or through communication interface **210** (from a distribution server (not shown)). The constitution of these elements **202-212** are known, and accordingly will not be further described.

Figure 3 illustrates various software elements of the general-purpose computer system described above with respect to **Figure 2**. In one embodiment, operating system **315** represents a Windows-based operating system such as WINDOWS™ 95, 98, or 2000, XP available from Microsoft Corporation of Redmond, WA. Operating system **315** is shown to include display services **321**, and communication services **325**, among other functions. Communication services **325** facilitate input/output communication, including network communication, between the host computer system and external devices. In one embodiment, communication services **325** further include

TCP/IP and socket services. Display services **321** facilitate the rendering of images on a display device such as a CRT or LCD. In one embodiment, display services **321** include a screen saver in the form of an application programming interface (API) that may be called by the system when, for example, the system has not detected any input/output activity during a user determinable period, or by manual activation by the user. For example, **Figure 7** illustrates an operational flow of a screen saver in accordance with one embodiment of the present invention. To begin, the screen saver is first registered with the operating system using e.g. a screen saver ID, block **702**. Next, upon detecting no input/output activity for a pre-set interval of time, the operating system calls the screen saver API, block **704**. When executed the screen saver API causes one or more selected digital media resources to be displayed, block **706**. The screen saver then remains in an execution mode until e.g. input/output is detected, block **708**.

As alluded to earlier, photo-management client **314** represents a software client that may be executed by one or more of computer systems **102**, **104**, and **106** to facilitate enhanced digital media resource exchange between multiple designated resource-sharing partners. In the illustrated embodiment, photo-management client **314** includes sharing services **320**, viewing services **322**, editing services **324**, organizing services **326**, and messaging services **328**. Although not pictured, photo-management client **314** may further include printing services to facilitate local or third party printing of digital media resources including photos and documents.

In one embodiment, sharing services **320** provide various functionalities including the ability to share one or more digital media resources with one or more buddies by

way of a user-friendly graphical interface. Viewing services **322** facilitate the viewing of downloaded digital media resources (i.e. in the form of images or video) as well as the previewing of digital media resources to be uploaded. Editing services **324** similarly facilitate manipulation and augmentation of images that have been downloaded or are to be uploaded. In one embodiment, organizing services **326** facilitate organizing and consolidating digital media resources including those resources resident locally on the user's computer system, those resources received from one or more buddies, and those resources sent to one or more buddies. In one embodiment, the digital media resources may be organized into collections using a hierarchical directory structure. In one embodiment, messaging services **328** provide messaging capabilities to the host computer system such that a user may exchange text, video and audio content with another user or resource-sharing partner. For example, in one embodiment of the invention, any resource-sharing partner may initiate a text or voice chat session with any other resource-sharing partner while the shared resources are concurrently displayed on the corresponding computer systems. Accordingly, two users may "chat" about one or more images concurrently displayed upon each user's respective display device. In one embodiment, messaging services **328** further facilitate the exchange and synchronization of resource meta-information. For example, one user may assign a rating to a particular resource, which is then conveyed to the server. The server then consolidates each rating received from various users for a given resource into an average rating for the resource. Each client who is known by the server to have received a copy of this resource is then updated/synchronized with the updated average rating the next time they log in. Additionally, the server may similarly

update/synchronize other user-provided feedback including but not limited to resource-related comments.

Figure 4 represents one embodiment of a graphical user interface dialog illustrating a multi-contextual hierarchical directory tree of the photo-management client. Among other features, dialog **400** illustrates buddy tab **410**, which when selected displays the current user (i.e. by pre-selected username), the current user's buddies and buddy lists, as well as image collections received from each buddy. In the graphical dialog of **Figure 4**, the current user logged into the photo-management client is identified as "Joe" and Joe's buddy lists include "Co-workers", "Family" and "Friends". Under each Buddy List are shown individual buddies that belong to this list. In **Figure 4**, the buddy list "Family" contains the buddies "sanchez" and "zinjanthropus" displayed under it. Under each buddy is shown the picture collections received by "Joe" from that particular buddy. In the illustrated example, Joe has received four picture collections from his buddy "krishs_hotmail": Anniversary, ArulMegha, LaikaJunglee, and Mona Lisa. Furthermore, under the current user's own name are a list of collections he himself has created. In the illustrated embodiment, the buddy and collection lists can either be listed in the dialog or made hidden by clicking on the "+" and "-" signs preceding the buddy list name and the buddy name. Moreover, in accordance with the teachings of the present invention, the user can choose to have individual picture collections or all picture collections from a given user either displayed or not displayed within a client viewer, as wallpaper, or as a screensaver by checking or unchecking the check boxes preceding the buddy list, buddy and picture collection names.

In one embodiment, the photo-management client can be integrated with shell and user interface of Windows based operating systems. This allows users to initiate chatting with buddies, sharing/organizing/viewing of pictures, and managing their buddy lists from anywhere in the Windows interface, not just from the photo-management client user interface. Accordingly, a user may elect to share digital media resources with buddies in any of a number of ways. For example, a user may use the right-click feature of Windows and other operating systems to find out which buddies, if any, he has shared a particular resource with. Similarly, a user can right-click on a particular file or folder in order to share it with the user's buddies. Alternatively, the user may also use the dialog tool bar, menu, or task pane to elect to share a resource in addition to using the right-click function.

Figure 5 illustrates one embodiment of a graphical user interface dialog for identifying new buddies. In one embodiment, individuals may be added to a buddy list using a login username or an email name. If the buddy is added using a login name, the buddy will be notified of newly shared resources upon their next login to server **110**. If, however, the buddy is added using an email name, the buddy will be notified of newly shared resources by way of an email message delivered to the associated email account. In one embodiment, the email message invites the buddy recipient to become a member of a resource-sharing network.

Figure 6 is a flow diagram illustrating an operational flow of the user interface of the present invention, in accordance with one embodiment. The process begins with

the user electing to perform some operational function within the photo-management client of the present invention. At block **602**, the system determines whether the user has chosen to share one or more digital media resources (in this example, one or more images) with a buddy. If so, the user is prompted to select which buddies should receive the shared images, block **616**. If the buddies are not already registered in the user's buddy list (block **618**), the user is provided with an opportunity to add the buddies (block **620**) before continuing to select the image source(s), block **606**.

If at block **602**, the user does not choose to share images with a buddy but instead chooses to display one or more images on a corresponding display screen, block **604**, the user is then prompted to select the image source(s). If the user has identified one or more image sources that are part of an existing image collection, block **608**, the user is prompted to identify the collection, block **610**. At block **612** the user may then add additional images to a preexisting collection, or otherwise confirm the user's pending action, block **614**. If back at block **608** it was determined that the image source was not part of an existing collection, the user is queried as to whether the image source is located on the local hard drive, block **622**. If so, the user selects the image sources, block **624**, and gives a name to the new collection of images created by such selection, block **626**. At block **628**, the user is provided with an opportunity to preview the collection of image resources and update them (e.g. add/delete) if it is deemed desirable, blocks **630** & **632**. If the source of the image is not an existing collection (block **608**) or a local hard drive (block **622**), the image source may be a WWW album from one or more Internet photo sharing services, block **634**. If the image source is indeed a web album from one or more Internet photo sharing services, the

user is prompted to enter the URL identifying the album, block 636. Thereafter, the user is prompted to name the newly created image collection and preview/update if desired.

Figure 8 represents a graphical chat window illustrating a messaging aspect of the present invention, in accordance with one embodiment. The chat window may be displayed in a number of ways including by the user clicking (i.e. with a user input device such as a mouse) on a buddy name and choosing "Chat" in the corresponding menu that pops up. Once the chat window appears, the user can type his message in the chat window and send it to a selected party (in the illustrated example, the selected party is "phantom"). If the user wishes to discuss a digital media resource with his buddy, the user may click on the "Discuss Resource" button on the toolbar in the chat window to pick a file for discussion. Thereafter, the resource selection dialog (previously described) pops up through which the user can select a resource. In one embodiment, the user may select resources he has shared with his buddy, resources his buddy has shared with him, or alternately, a resource that he hasn't yet shared but is nonetheless located on his computer system. The selected resource is then opened in the client viewer on both the user's and the selected buddy's clients. Additionally, the chat window is positioned on top of the displayed resource to facilitate discussion. In one embodiment, resources such as text files or other documents are opened in the appropriate application, such as Word or Excel, instead of in the included client viewer. In one embodiment, either of the user and the selected buddy may opt to increase the resource display rate, decrease the resource display rate, or manually proceed to view the next or previous resources. In one embodiment, the photo-manager client of the

present invention integrates with third-party messaging applications such as Instant messenger from AOL, Yahoo! Messenger, or Windows Messenger to utilize preexisting buddy lists from these applications.

While the present invention has been described in terms of the above-described embodiments, the present invention is not limited to the embodiments described. As the present invention can be practiced with further modification and alteration within the spirit and scope of the appended claims, the description is to be regarded as illustrative instead of restrictive on the present invention.

1003349-102401
T04201 6T23201